

Volunteer Worker OHS Induction Checklist

Upon arrival at the site you will be required to complete an OHS Induction covering the site specific risks.

Volunteer worker inductions are valid for 12 months.

Workplace	Bonbeach Primary S	School		
Brief description of works				
Brief description of works				
General OHS Induction – The Workplace Manager is to ensure that volunteer				
workers have been provided with the following information and/or instructions.			Provided	
DET OHS Policy			☐ Yes	
(In Volunteer OHS & Child Safe Induction Handbook p.2)				
DET OHS Consultation and Communication Policy			□ Yes	
(In Volunteer OHS & Child Safe Induction Handbook p.3)				
Bonbeach Primary School Child Safe Policy and strategies			☐ Yes	
(In Volunteer OHS & Child Safe Induction Handbook p.4)			□ Yes	
Required conduct/behaviour (In Volunteer OHS & Child Safe Induction Handbook p.9)			⊔ res	
Security access arrangements / Traffic Management Plan			□ Yes	
(In Volunteer OHS & Child Safe Induction Handbook p.4)			□ 163	
Introduction to First Aid Officer(s) and location of First Aid Room/Kits			□ Yes	
(In Volunteer OHS & Child Safe Induction Handbook p.20)			- 100	
Location of emergency evacuation plans for your area			☐ Yes	
(In Volunteer OHS & Child Safe Induction Handbook p.22)				
Location of Emergency Exits			☐ Yes	
(In Volunteer OHS & Child Safe Induction Handbook p.22)				
Introduction to workplace Wardens / Incident Controller			☐ Yes	
(Ken Jones Principal / Patrick Walsh Assistant Principal)				
Location of amenities			☐ Yes	
(At front office; in the BER)				
Location of Chemical Register and associated Safety Data Sheets			☐ Yes	
(At front office)				
Information on hazard and incident reporting process (In Volunteer OHS & Child Safe Induction Handbook p.21)			☐ Yes	
			□ Yes	
Current School Asbestos Management Plan and Division 5 Audit Report (Asbestos in eaves of main building and change rooms in Hall)			⊔ res	
Plant and equipment Safe Work Procedures & personal protective equipment			□ Yes	
(Note: all electrically powered plant and equipment are to be tested and tagged prior			□ 163	
to use)				
Do not use any electrical item that is not tagged				
An overview of task(s) and relevant hazards and risks controls are				
communicated to volunteer workers as detailed in the Risk Assessment			☐ Yes	
(To be completed at task site)				
Volunteer Workers				
I have been provided with and understand (as indicated above) and will comply with all safety instructions.				
	·		uuulons.	
Name:		Signature:		
		Date:		
Date.				

Central Office Use Only	Issue Date: July 2014	Last Reviewed: May 2016	Next Review Date: May 2018
No. DET ESWB 30-2-2		Authorised by: Manager ESWB	